






**Data-sheet:**  
 Corner guards  
**S030-50-75**


version 1 | 2016

**Sleek stick-on corner guard in legendary Acrovyn®**

- Can be installed with construction adhesive, mechanical fixings or factory applied self adhesive tape (optional)
- Available in three sizes to suit most project requirements

 **DIMENSIONS**  
**3.000x75x75 mm**  
**3.000x50x50 mm**  
**3.000x30x30 mm**



 **CHARACTERISTICS**



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated



M1  
Fire rated



Heavy  
Duty

 **SPECIFICATION TEXTS:** [www.cs-france.fr/en/?p=401](http://www.cs-france.fr/en/?p=401)

1 - 5

## Product description

Supply and installation of **SO30, SO50 or SO75 corner guards** from **C/S France**, with a cross section of 30x30 mm, 50x50 mm or 75x75 mm mm and a standard length of 4.000 mm.

SO30, SO50 or SO75 corner guards are finishing profiles for corners and surface glue fixed following the instructions and recommendations of the manufacturer.

Acrovyn® possesses excellent **scratch resistance and outstanding shock absorbcency properties**, is finely grained, non-porous and dyed through.

The SO30, SO50 or SO75 corner guards has been **fire rated B-s2, d0** in compliance with the European norm NF 13501-1. Test reports can be provided upon request.

Following the European norm NF EN ISO 1716 **the Higher Heating Value (HHV)** was been determined to be **17,828 MJ/kg**. Test reports can be provided upon request.

The SO30, SO50 or SO75 corner guards was tested on **indoor VOC emissions** (indoor volatile organic compounds emissions) and **certified with A+**. Test reports can be provided upon request.

All materials of the SO30, SO50 or SO75 corner guards are **inert, non contaminant and can be 100% recycled**.

The SO30, SO50 or SO75 corner guards has been **manufactured in compliance with the European Directive 2002/95 / EC or RoHS**.


The manufacturer C/S France offers a choice of **40 standard solid colours**.




## Components and accessories




4 m standard length



Factory applied adhesive strips



Soft top bevel cut



Half moon bevel cut

Colour range

**Colour sample service**

The colour representations on this chart might not be exact and can deviate from the real colours.

For best results we recommend to make your colour choice based on real samples.

Please contact our Customer Services Department or local distributor.



▶ GOLDEN YELLOW 16	▶ LILAC 20	▶ AQUA BLUE 11	▶ ANIS 22
▶ LEMON 1018 RAL	▶ PLUM 4005 RAL	▶ COBALT BLUE 12	▶ ZEST 34
▶ TANGERINE 17	▶ PEONY 4003 RAL	▶ PACIFIC BLUE 112	▶ SPRING GREEN 23
▶ OCHRE 15	▶ QUETSCH 32	▶ YALE BLUE 129	▶ KHAKI 7034 RAL
▶ PAPRIKA 30	▶ POMGRENADE 31	▶ LAGOON 5018 RAL	▶ OLIVE 33
▶ ORANGE 2008 RAL	▶ SPECTRUM RED 845	▶ TURQUOISE MINT 6033	▶ Need a different colour? Subject to minimum quantities we can produce your custom colours.
▶ SNOW WHITE 9008 RAL	▶ MISSION WHITE 933	▶ DOVE GREY 24	▶ PLATINUM 7036 RAL
▶ CLOUD GREY 801	▶ PEARL GREY 136	▶ MOLE 26	▶ FRENCH CREAM 101
▶ FELT 7044 RAL	▶ CHARCOAL GREY 162	▶ MOCHA 105	▶ RAFFIA 1019 RAL
▶ IRON 7039 RAL	▶ GRAPHITE 7024 RAL	▶ EARTH 8019 RAL	▶ CLAY 7006 RAL

